



## Drip free adhesive spray FLC 804

ELKALUB FLC 804 is an oil spray based on high grade white- and synthesis oils containing high-performance additives. The lubricating film has a good spreading capability and protects against corrosion. It has excellent boundary lubrication properties and is very adhesive and resistant to centrifugation up to 80 °C. ELKALUB FLC 804 is recommended for usage in hinges, joints, heavy drive chains, cams, cam discs, open gears, guides and spindles. ELKALUB

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)

FLC 804 acts silencing. Due to the prompt evaporation of the solvent a fast and drip free application on vertical points of lubrication is possible.

[Request product](#) [Download data sheet](#)

## Base oil

mineral oil

## Thickener

polyurea

## Operating temperature

-20 °C bis 100 °C

## Viscosity

6000 mm<sup>2</sup>/s

## Suitable for

- chains
- fittings & joints

## Packaging

- 400 ml of aerosol

## Industry

- automotive
- power tools
- drive technology
- furniture industry
- wood industry
- bearing manufacturer

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

# ELKALUB



*Hochleistungs-Schmierstoffe*  
*High Performance Lubricants*

- plant construction

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)