

# ELKALUB



**Hochleistungs-Schmierstoffe**  
**High Performance Lubricants**



## Grease for the food industry GLS 367/N00



These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | info@elkalub.com | www.elkalub.com



KP00K-10

ELKALUB GLS 367/N00 is a partly synthetic lubricating grease for application in the food industry. The product is adhesive and is suitable for gears, slow-turning ball bearings, for slip motions (e.g. linear guides) and for the lubrication of chains, valves, spindles, sterilizers etc. ELKALUB GLS 367/N00 shows a good resistance to water (up to +100 °C) as well as to acids and alkalis. ELKALUB GLS 367/N00 is suitable for temperatures from -10 °C up to +130 °C (short-time up to 180 °C).

[Request product Download data sheet](#)

### **Base oil**

other, white oil

### **Thickener**

inorganic

### **Operating temperature**

-10 °C bis 130 °C

### **Viscosity**

185 mm<sup>2</sup>/s

### **NLGI class**

00-fluessig

### **Suitable for**

- gearboxes & gearing
- chains
- linear guides, ball screws
- gearboxes & gearing

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

## Packaging

- 1 kg can
- 18 kg hobbock
- 50 kg hobbock

## Industry

- food industry
- beverage industry
- pharmaceutical and medical technology
- drive technology

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)