



## Grease for miniature ball bearings VP 899



KPFHC1N-40

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | info@elkalub.com | www.elkalub.com

ELKALUB VP 899 a high-quality synthetic grease for use in high-speed rolling bearings, especially miniature ball bearings. The grease has a speed characteristic of 2,300,000. Thanks to the NSF-H1 approval, ELKALUB VP 899 can be safely used in food, beverage and pharmaceutical applications.

[Request product](#) [Download data sheet](#)

## Base oil

poly-alpha-olefin, ester oil

## Thickener

polyurea

## Operating temperature

-40 °C bis 140 °C

## Viscosity

40 mm<sup>2</sup>/s

## NLGI class

1-sehr-weich

## Suitable for

- roller bearing

## Packaging

- 380 g LubeShuttle
- 400 g cartridge
- 5 kg bucket
- 18 kg hobbock

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

# ELKALUB



*Hochleistungs-Schmierstoffe*  
*High Performance Lubricants*

## Industry

- food industry
- beverage industry
- pharmaceutical and medical technology
- bearing manufacturer

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)