



## high-temperature grease with solid lubricants VPG 927



These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.

 **Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH  
Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | info@elkalub.com | www.elkalub.com



KFSI2-3S-40

ELKALUB VPG 927 is a high-temperature grease for the lubrication of slide- and roll movements up to temperatures around 500°C. The grease is based on silicone oil and a synergistic mix of black solid lubricants. The silicone oil evenly spreads the solid lubricants and lubricates up to 250°C. Above these temperatures there is solid lubrication. The NSF-H1 registration of ELKALUB VPG 927 makes an application in Food-, animal-food- or pharma-industry possible. ELKALUB VPG 927 shows good compatibility with most plastics and sealing materials. Due to its black color an application in covered lubricating spots is beneficial.

[Request product Download data sheet](#)

### **Base oil**

silicone

### **Thickener**

solid lubricant

### **Operating temperature**

-40 °C bis 500 °C

### **Viscosity**

750 mm<sup>2</sup>/s

### **NLGI class**

2-weich,3-mittelfest

### **Suitable for**

- fittings & joints

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)

## Packaging

- 5 kg bucket

## Industry

- food industry
- beverage industry
- pharmaceutical and medical technology
- plant construction
- miscellaneous

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)