



## special-grease GLS 964/N2



These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.

 **Produkt-Beratung: +49 7454 9652 0 | Mo–Fr 09–16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)



KPHC2K-20

ELKALUB GLS 964/N2 is a lubricating grease with good wear and corrosion protection properties. It has been designed for use in roller and slide bearings, especially for permanently changing directions of movement. The integrated thixotropy permits the build-up of a more solid grease collar at the outer side of bearings. By that, the spin-off of grease and the penetration of foreign particles is reduced. Examples of application: gripper shafts, spindles, badly sealed bearings.

[Request product Download data sheet](#)

**Base oil**

white oil

**Thickener**

polyurea

**Operating temperature**

-25 °C bis 130 °C

**Viscosity**150 mm<sup>2</sup>/s**NLGI class**

2-weich

**Suitable for**

- roller bearing
- slide bearing

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.

**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

## Packaging

- 250 g tube
- 100 g cartridge
- 380 g LubeShuttle
- 400 g cartridge
- 1 kg can
- 5 kg bucket
- 18 kg hobbock
- 50 kg hobbock

## Industry

- printing industry
- food industry
- beverage industry
- pharmaceutical and medical technology
- bearing manufacturer
- plant construction

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)