



Lubricants and assembly aids GLS 867



These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | info@elkalub.com | www.elkalub.com



MPG1-0

ELKALUB GLS 867 is a sliding and assembly aid based on polyglycol. In contrast to mineral oil-based products, EPDM materials are not attacked by ELKALUB GLS 867.

Thanks to the H1 registration, ELKALUB GLS 867 can be used in the food, animal feed and pharmaceutical industries as well as in other hygiene-sensitive areas. In a typical application, ELKALUB GLS 867 improves the sliding properties of EPDM sealing rings when installing rotary distributors in the beverage industry. The product can be cleaned off residue-free with hot water or warm sodium hydroxide solution and is therefore suitable for CiP processes.

Examples of industrial applications for ELKALUB GLS 867 are assemblies in the automotive industry (brake, cooling water systems) or for glass components.

[Request product Download data sheet](#)

Base oil

polyglycol

Thickener

other

Operating temperature

10 °C to 35 °C

Viscosity Base oil220 mm²/s**NLGI class**

0-halbfluessig, 1-sehr-weich

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.

**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09–16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | info@elkalub.com | www.elkalub.com

Functionality

- food contact
- mounting devices

Suitable for

- assembly grease / fittings / o-rings

Packaging

- 250 g tube
- 400 g cartridge
- 5 kg bucket
- 18 kg hobbock
- 50 kg hobbock

Industry

- food industry
- beverage industry
- pharmaceutical and medical technology
- plant construction

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | info@elkalub.com | www.elkalub.com