

# ELKALUB



**Hochleistungs-Schmierstoffe**  
**High Performance Lubricants**



These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)

# silicone grease GLS 794/N3



KPSI3R-40

ELKALUB GLS 794/N3 is a fully synthetic special grease for application in food, beverage and pharmaceutical industries. It is particularly suited for slide pairings (e.g. taps, valves, fittings) and as a mounting grease. The product is very resistant against water and steam and can be used for operating temperatures from -40 °C up to +180 °C. As a special feature for beverage dispensers and breweries: ELKALUB GLS 794/N3 does not have any influence on the formation of beer foam (see report of TU Munich, 15.06.2016).

[Request product Download data sheet](#)

## Base oil

silicone

## Thickener

solid lubricant

## Operating temperature

-40 °C to 180 °C

## Viscosity Base oil

750 mm<sup>2</sup>/s

## NLGI class

3-mittelfest

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09–16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)

## Functionality

- low-temperature
- food contact
- mounting devices

## Suitable for

- assembly grease / fittings / o-rings
- valves

## Packaging

- 200 ml brush can
- 250 g tube
- 380 g LubeShuttle
- 400 g cartridge
- 5 kg bucket
- 18 kg hobbock
- 50 kg hobbock

## Industry

- food industry
- beverage industry
- pharmaceutical and medical technology

These data are released in good faith and express our knowledge as of today. We reserve the right to modify and/or supplement them.



**Produkt-Beratung: +49 7454 9652 0 | Mo – Fr 09 – 16 Uhr**

ELKALUB Hochleistungs-Schmierstoffe | Chemie-Technik GmbH

Robert-Bosch-Straße 19 | DE-72189 Vöhringen | Tel.: +49 7454 9652-0 | Fax: +49 7454 9652-35 | [info@elkalub.com](mailto:info@elkalub.com) | [www.elkalub.com](http://www.elkalub.com)